

Index

Note: Page entries beginning with 'A' refer to appendices

- a posteriori* 3.2–19, 7.2–4, A–5
- a priori* 3.2–13, 3.2–14, A–5
- abalone 4.4–4, A–4
- abiotic factors 3.1–2, A–4
- absorption A–4
- absorptive capacity 2–18
- acceptable contaminant concentration (ACC) A–4
- acceptable ecological change, measurement 3.1–20 to 3.1–23, 3.3–19 to 3.3–20, 7.2–15 to 7.2–16
- acclimation A–4
- acid volatile sulfides (AVS) 3.5–8, A–4
- acid-soluble metal A–4
- acidic A–4
- acronyms A–1 to A–3
- acute-chronic ratio A–4
- acute toxicity 3.4–2, A–4
- additive toxicity A–4
- aeration 4.2–5, A–4
- aerobic A–4
- aesthetic guideline value 6–4
- aesthetics A–4
 - see also* recreational water quality and aesthetics
- 'aggressive' carbon dioxide A–4
- agricultural chemical preparation 4.2–16
- Agriculture and Resource Management Council of Australia and New Zealand (ARMCANZ) A–21
- Agriculture and Resource Management Council of Australia and New Zealand (ARMCANZ/ANZECC Contact Group) A–25, A–26
 - Working Parties A–27
- algae A–4
 - in irrigation waters 4.2–2 to 4.2–3
- algal biomass 3.3–20
- algal blooms *see* cyanobacteria
- alkalinity A–4
- alkaloids A–4
- allochthonous A–4
- ambient waters 2–17, A–4
- ammonia 3.4–3
- ammonium 3.3–10, 3.3–12, 3.3–14, 3.3–16, 3.3–17
- amphipods A–5
- anaerobic A–5
- analytes A–5
- animal pathogens, in irrigation waters 4.2–3 to 4.2–4
- anion A–5
- anionic A–5
- anode A–5
- antagonism A–5
- anthropogenic A–5
- aquaculture A–5
- aquaculture guidelines 4.1–1, 4.4–1
 - for protection of cultured fish, molluscs and crustaceans 4.4–3 to 4.4–12
 - philosophy 4.4–2
 - physico-chemical stressors 4.4–7, 4.4–9 to 4.4–10
 - precautionary comments 4.4–18 to 4.4–19
 - research and development priorities 4.4–19
 - scope 4.4–2 to 4.4–3
 - toxicants 4.4–8, 4.4–10 to 4.4–11
- aquatic ecosystems 1–3 to 1–4, A–5
 - biological assessment 2–16
 - classification 3.1–7 to 3.1–9
 - features affecting water quality assessment and ecosystem protection 3.1–7
 - philosophy and steps to applying the guidelines 3.1–1 to 3.1–7
- aquatic plants, nuisance growth of 3.3–22 to 3.3–25
- aquifer A–5
- area classification approach 4.4–17 to 4.4–18
- assessment factors 3.4–2, A–5
- assessment objectives, for ecosystem protection 3.2–4 to 3.2–6
- assimilation A–5
- assimilative capacity 2–18, A–5
- ataxia A–5
- AUSRIVAS rapid biological assessment 3.2–4, 3.2–8, 3.2–20, 7.2–4, 7.3–3 to 7.3–5
 - applications and cautions 7.3–4 to 7.3–5
 - cautionary note 3.2–9
 - division of O/E indices into bands 3.2–15 to 3.2–17
 - outline 7.3–3
 - sampling protocol and issues about effect size and sensitivity 7.3–3 to 7.3–4
- Australia, ecosystem features 3.1–7, 3.1–8
- Australian and New Zealand Environment and Conservation Council (ANZECC) A–21
 - Standing Committee on Environmental Protection (SCEP) A–25

- Australian National Water Quality Management Strategy *see* National Water Quality Management Strategy
- autochthonous A-5
- autotrophy A-5
- avoidance threshold A-5
- BACI (Before-After Control-Impact) family of designs 3.2-12, 7.2-5, 7.2-7, 7.2-3 to 7.2-4
- background data 3.1-14
- bacterial infections, impact on human health 4.4-13 to 4.4-14
- barramundi A-5
- baseline data collection 3.2-10, 3.2-17 to 3.2-18
- baseline data (studies) 7.2-4, A-5
- benthos A-5
- bicarbonate, in irrigation waters 4.2-9
- binding sites A-6
- bioaccumulation 3.4-17, A-6
- bioassay A-6
- bioassessment *see* biological assessment
- bioavailable fraction 3.1-22, A-6
- biochemical oxygen demand 3.3-8, 4.4-7, A-6
- bioclogging A-6
- bioconcentration A-6
- bioconcentration factor (BCF) 4.4-17, A-6
- biocorrosion A-6
- biodiversity 3.1-3, A-6
- biodiversity assessment 3.2-5, 3.2-7, 3.2-8 to 3.2-9
- biodiversity assessment objective 3.2-8
- biodiversity indicators 3.2-5, 3.2-8 to 3.2-9, 7.2-1 to 7.2-2
- bioequivalence testing, for environmental restoration 7.2-13
- biofilm A-6
- biological assessment 3.2-1, A-6
- definition 3.2-1
- framework 3.2-2 to 3.2-3
- philosophy and approach behind
- bioindicators 3.2-1 to 3.2-2
- biological assessment objectives, for ecosystem protection 3.2-4
- biological community A-6
- biological contaminants
- effect on aquaculture species 4.4-11 to 4.4-12
- impact on human health 4.4-13 to 4.4-15
- biological diversity *see* biodiversity
- biological indicators 3.1-3, 3.1-7, 3.2-2, 7.1-2
- multivariate indicators 7.3-1 to 7.3-2
- univariate indicators 7.3-1
- biological oxygen demand A-6
- biomagnification 3.4-17, A-6
- biomass A-6
- biosolids A-6
- biota A-7
- biotoxins 4.4-15, A-7
- bioturbation A-7
- biting insects 5-5
- bivalve A-7
- black bream A-7
- black tiger prawn A-7
- bloom A-7
- blue mussel A-7
- blue-green algae *see* cyanobacteria
- broad-scale assessment of ecosystem health 3.2-4, 3.2-6, 3.2-7, 3.2-20, 7.2-3
- buffer A-7
- buffering capacity A-7
- °C (degrees Celsius) A-7
- cadmium, in soil, interaction with chloride in irrigation water 4.2-10
- calcium, in livestock drinking water 4.3-2
- carcinogen A-7
- carrying capacity 2-18
- catchment A-7
- catchment level responsibility 2-3
- catchment management plans 2-14
- cathode A-7
- cation A-7
- cation exchange capacity (CEC) A-7
- cationic A-7
- chelate A-7
- chemical oxygen demand 4.4-7, A-7
- chemical speciation in water samples 7.4-2 to 7.4-3
- chemical stressors *see* physico-chemical stressors
- chemicals
- toxicity assessment 2-19 to 2-20
- see also* toxicants
- chloride, in irrigation waters 4.2-9 to 4.2-10
- chlorination A-7
- chlorophyll 3.3-10, 3.3-12, 3.3-14, 3.3-16, 3.3-17, 3.3-25
- chronic 3.4-1, A-7
- chronic value A-7
- cladoceran A-7
- climate variability 3.1-7
- colloid A-8
- community A-8
- community composition 7.3-1, A-8
- community metabolism A-8

- complexation A-8
compliance 2-13, A-8
concentration A-8
conceptual models 2-18 to 2-19, 3.1-19 to 3.1-20
condition 1 ecosystems *see* high conservation/ecological value ecosystems
condition 2 ecosystems *see* slightly to moderately disturbed ecosystems
condition 3 ecosystems *see* highly disturbed ecosystems
condition indicators or targets A-8
contaminant bioavailability 3.5-7, 4.2-12
contaminants A-8
 see also biological contaminants
continual improvement 2-16
control charting 3.2-14, 3.3-19, 7.4-7
controls 3.1-15 to 3.1-16
 definition A-8, 3.1-15
cooperative best management 2-13 to 2-14, 3.1-22, 3.2-13 to 3.2-14
corrosion 4.2-15 to 4.2-16, A-8
cresylic A-8
criteria (water quality) A-8
crop quality A-8
cultural importance of water 2-6 to 2-7
cultural issues 1-4
cultured fish, molluscs and crustaceans
 protection of 4.4-2
 water quality guidelines 4.4-3 to 4.4-12
cumulative A-8
cumulative contaminant loading limit (CCL) 4.2-11, 4.2-12, A-8
cyanobacteria A-8
 in irrigation waters 4.2-3
 in livestock drinking water 4.3-1 to 4.3-2
 in recreational waters 5-6
cyanobacterial blooms, risk assessment 3.3-28
cyanosis A-8
cytotoxic A-8
- data analysis, evaluation and reporting 7.2-19
decision criteria A-8
 and trigger values 3.1-20 to 3.1-22, 7.2-11 to 7.2-18
decision trees/frameworks 2-10, 3.1-4, 3.1-6, 3.1-7, A-9
 for applying guideline trigger values for toxicants 3.4-13 to 3.4-20
 for assessing physico-chemical stressors in ambient waters 3.3-1 to 3.3-2
 for assessing test site data and deriving site-specific water quality guidelines 3.1-17 to 3.1-19
 for assessment of contaminated sediments 3.5-5 to 3.5-10
 for biological assessment of water quality 3.2-2 to 3.2-3
 for metal speciation guidelines 3.4-19
 for water quality for protection of aquaculture species 4.4-4 to 4.4-5, 4.4-6
defraying costs, in environmental monitoring programs 7.1-3 to 7.1-4
depuration A-9
desirable contaminant concentration (DCC) A-9
detection limit 3.4-15, A-9
detritus A-9
dinoflagellates A-9
direct effect stressors 3.3-3 to 3.3-4
direct toxicity assessment (DTA) 2-19 to 2-20, 3.4-16, 3.4-20, A-9
discharge controls 2-17
dissolved oxygen 3.3-10, 3.3-12, 3.3-14, 3.3-16, 3.3-17
 low 3.3-25 to 3.3-27
disturbance intensity, and indicator response 3.1-20
disturbances 3.1-15, 3.2-12, 7.2-3
 detection and assessment 3.2-18 to 3.2-19
diuresis A-9
diurnal A-9
divalent A-9
documentation 7.2-18
dose A-9
drinking water 1-4, 6-1
 chemical and radiological quality 6-2
 guideline values 6-3 to 6-4
 guidelines for users
 in Australia 6-1
 in New Zealand 6-1
 individual household supplies 6-3
 microbiological quality 6-1 to 6-2
 small water supplies 6-2 to 6-3
dynamic equilibrium A-18
- early detection A-9
 short- or longer-term changes 3.2-4 to 3.2-5, 3.2-6 to 3.2-8
early life-stage test A-9
EC_{1:5} A-9
EC₅₀ (median effective concentration) A-9
EC_i 4.2-6, 4.2-7, 4.2-8
EC_s A-9
EC_{se} 4.2-6, 4.2-7, 4.2-8, A-9
ecological effects data 3.1-14, 3.3-7
ecological integrity (health) 3.1-1 to 3.1-2, A-9

- ecologically sustainable development (ESD)
1–5, A–9
- ecosystem-based approach 2–18 to 2–19
- ecosystem classification 3.1–4 to 3.1–5, 3.1–7 to 3.1–9
- ecosystem condition 3.4–14, A–9
and level of protection 3.1–9 to 3.1–12
- ecosystem health A–9
broad-scale assessment 3.2–4, 3.2–6, 3.2–7, 3.2–30, 7.2–3
see also ecological integrity
- ecosystem protection, biological assessment
objectives for 3.2–4 to 3.2–6
- ecosystem-specific modifying factor A–10
- effect size 3.1–21, 3.2–13, 7.2–15, 7.3–3, A–10
- effluent A–10
- effluent discharge 1–3
- effluent outfalls 2–17
- El Niño-Southern Oscillation (ENSO) 3.1–7
- electrical conductivity 3.3–11, 3.3–13, 3.3–15, 3.3–16, 4.3–4, A–10
- encrustation A–10
- end-points A–10
- endemic/endemism A–10
- enhancing inferences, in environmental
monitoring programs 7.1–2 to 7.1–3
- enterococci 5–4, A–10
- environmental capacity 2–18
- environmental concerns 3.1–5
- environmental restoration 7.2–10, 7.2–13
- environmental values 1–2, 2–1, 2–6 to 2–9, 2–15, 2–16, A–10
- epilimnion A–10
- epilithon A–10
- epiphyte A–10
- ESP *see* exchangeable sodium percentage
- eukaryotes A–10
- euphotic A–10
- euryhaline A–10
- eutrophic A–10
- eutrophication 3.1–2, A–10
- evapotranspiration A–10
- exchangeable sodium percentage (ESP) A–10
- experimental design and analysis procedures,
for generic protocols 3.2–10 to 3.2–13, 7.2–3 to 7.2–17
- exposure A–10
- faecal coliforms 5–4
- farmstead water supplies 4.1–2
- fate A–10
- field capacity A–10
- fish resources 4.4–1
- flexible decision-making 3.2–13 to 3.2–14
- flocculation A–11
- flounder A–11
- flow-through system A–11
- fluorosis A–11
- foliar injury
from chloride 4.2–9 to 4.2–10
from sodium 4.2–10
- fouling 4.2–16, A–11
- free carbon dioxide A–11
- freshwater shrimp A–11
- gastropod A–11
- general water uses 4.2–1
agricultural chemical preparation 4.2–16
corrosion 4.2–15 to 4.2–16
fouling 4.2–16
pH 4.2–15
- gilvin A–11
- green shell mussel 4.4–1, A–11
- gross alpha (activity) 4.2–15, 4.3–6, A–11
- gross beta (activity) 4.2–15, 4.3–6, A–11
- groundwater 4.1–1, A–11
Guideline applicability 1–2
- guideline (water quality) A–11
- guideline packages 3.1–4, 3.1–6, A–11
for applying the guideline trigger values to sites 3.3–21 to 3.3–29
- guideline trigger values 1–2, 2–10, 3.1–3, 3.1–4, 3.1–6, 3.1–7, 3.1–17 to 3.1–19, A–11
and decision criteria 3.1–20 to 3.1–22
determining for selected indicators 3.1–5 to 3.1–6
drinking water 6–3 to 6–4
for toxicants 3.4–5 to 3.4–11, 7.4–8 to 7.4–9
levels of refinement 3.1–18
local reference data 3.1–14
physico-chemical stressors 3.3–5 to 3.3–7, 7.4–3 to 7.4–8
- Guidelines 1–1
application to groundwater 1–2
applications for water quality management 2–11 to 2–19
background 1–4 to 1–5
features 1–1
framework 2–1 to 2–20
guiding principles 1–5
not standards 2–16 to 2–17
not to be used as mandatory standards 1–1 to 1–3
objectives 1–6
philosophical approach to applying 2–12 to 2–17

- revision program A-25 to A-26
 - targeted for local conditions 2-15
- habitat 2-16, A-11
- half-life A-11
- hardness 3.4-18, 3.4-21, A-11
- hazard A-11
- health-related guideline value 6-4
- heavy metals
 - effect on aquatic ecosystems 3.4-5
 - effect on sediments 3.5-3
 - effect on aquaculture species 4.4-8, 4.4-10
 - in irrigation water 4.2-11 to 4.2-12
 - in livestock drinking water 4.3-4 to 4.3-5
 - in recreational waters 5-9
- helminth A-12
- hepatotoxin A-12
 - in aquatic ecosystems 3.4-9 to 3.4-10
- herbicides, in irrigation water 4.2-14
- heterotrophy A-12
- high conservation/ecological value systems 2-9, 3.1-10, 3.1-11
 - monitoring and assessment indicators 7.2-1 to 7.2-2
 - situation-dependent guidelines 3.2-17 to 3.2-19
- high reliability guideline trigger values 3.4-2 to 3.4-3, A-12
- highly disturbed ecosystems 2-9, 2-10, 3.1-10, 3.1-12, 3.2-19
 - guidelines 3.1-22 to 3.1-24
 - lack of suitable reference sites or data 3.1-23
 - low-risk trigger values 3.3-23 to 3.3-24, 3.3-26
 - monitoring and assessment indicators 7.2-2
 - urban regions, guidelines 3.1-23 to 3.1-24
 - water quality objectives 3.1-22 to 3.1-23
- historical data 3.1-14
- human consumers of aquatic foods 4.4-1
 - precautionary comments 4.4-18 to 4.4-19
 - preventative and management approaches 4.4-17 to 4.4-18
 - protection of 4.4-2
 - water quality guidelines for protection of 4.4-12 to 4.4-18
- human factors
 - affecting aquatic ecosystems 3.1-1 to 3.1-2
 - affecting ecosystems 3.1-5
- human pathogens, in irrigation waters 4.2-3 to 4.2-4
- humic substances A-12
- hydrogeology A-12
- hydrograph A-12
- hydrological sampling 7.4-2
- hydrolysis A-12
- hydrophilic A-12
- hydrophobic A-12
- hypolimnion A-12
- hypothesis 3.1-19, A-12
- hypothesis testing 7.2-11, 7.2-12 to 7.2-13
 - nature of change and its context 7.2-13 to 7.2-15
 - specifying error rates relative to costs of those errors 7.2-16 to 7.2-18
 - specifying the size of the effect 7.2-15 to 7.2-16
- hypoxia A-12
- in vitro* A-12
- incipient LC₅₀ A-12
- indicator response, and disturbance intensity 3.1-20
- indicators 3.1-3, 3.1-5, A-12
 - broad classes and desired attributes 3.2-6 to 3.2-9
 - matching to problems 3.2-9 to 3.2-10
 - see also* biodiversity indicators; biological indicators; non-biological indicators
- Indigenous Australians, cultural importance of water 2-7
- indirect effect stressors 3.3-4
- individual household supplies 6-3
- industrial water 1-4
- ingestion A-12
- inorganic carbon A-12
- inorganic toxicants
 - aquaculture species 4.4-8, 4.4-10
 - impact on human health 4.4-13
 - in recreational waters 5-9
- integrated catchment management 2-3
- integrated water quality assessment 2-16, 7.1-1 to 7.1-4
 - management goals for 3.1-19 to 3.1-20
- interstitial A-12
- invertebrates 3.1-23, 3.2-4, A-12
- investigative studies 7.2-4
- ion A-12
- irrigation water
 - biological parameters 4.2-2 to 4.2-4
 - effect on soil, plants and water resources 4.2-1 to 4.2-2
 - heavy metals and metalloids 4.2-11 to 4.2-12
 - ions of concern for water quality 4.2-9 to 4.2-11
 - nitrogen and phosphorus 4.2-12 to 4.2-13

- pesticides 4.2–13
- radiological quality 4.2–13, 4.2–15
- salinity and sodicity 4.2–4 to 4.2–9
- water quality guidelines 4.1–1, 4.2–1 to 4.2–15
 - philosophy 4.2–1

- Kuruma prawn A–12
- lack of dissolved oxygen 3.3–25
 - key indicators 3.3–25 to 3.3–26
 - low-risk trigger values 3.3–26
 - use of guideline package 3.3–27
- Langelier Saturation Index (SI) A–12
- LC₅₀ (median lethal concentration) A–12
- LC₁₀₀ A–12
- LD₅₀ (median lethal dose) A–13
- leachate A–13
- leaching A–13
- leaching fraction (LF) 4.2–6, A–13
- lentic A–13
- lethal A–13
- levels of protection 3.1–5, A–13
 - alternative levels 3.1–12
 - and ecosystem condition 3.1–9 to 3.1–11
 - assignment 3.1–9 to 3.1–13
 - framework for assigning 3.1–11 to 3.1–12
 - recommended 3.1–13
- life-cycle study A–13
- ligand A–13
- livestock drinking water quality 4.1–1, 4.3–1
 - biological parameters 4.3–1 to 4.3–2
 - derivation and use of guidelines 4.3–1
 - heavy metals and metalloids 4.3–4 to 4.3–5
 - major ions of concern for 4.3–2 to 4.3–4
 - pesticides 4.3–5
 - radiological quality 4.3–6
- liveweight A–13
- load-based guidelines 3.3–20
- local jurisdictions, site-specific guideline values for highly disturbed ecosystems 3.1–23
- LOEC (lowest observed effect concentration) A–13
- LOEL (lowest observed effect level) A–13
- long-term trigger values (LTV) A–13
 - heavy metals and metalloids in irrigation water 4.2–11 to 4.2–12
 - nitrogen and phosphorus 4.2–12 to 4.2–13
- longer-term changes, early detection 3.2–4 to 3.2–5, 3.2–6 to 3.2–8
- lotic A–13
- low reliability guideline trigger values 3.4–2 to 3.4–3, A–13
- low-risk guideline trigger values
 - comparison with 3.3–19
 - default approach to deriving 3.3–8 to 3.3–9
 - definition 3.3–5 to 3.3–6
 - ecosystem conditions 3.3–6 to 3.3–7
 - preferred approaches to deriving 3.3–7 to 3.3–8
 - sources of information for 3.3–6

- macroinvertebrate communities 3.1–23, 3.2–4
- macrophyte A–13
- magnesium, in livestock drinking water 4.3–3
- management focus on issues not guidelines 2–15
- management framework for applying the guidelines 2–1 to 2–11
- management goals 2–2, 2–8, 3.1–5, A–14
 - to integrate water quality assessment 3.1–19 to 3.1–20
- management responses 2–2, 2–3
- management strategy 1–3, 2–3
- Maori, cultural importance of water 2–7
- marine biotoxins, impact on human health 4.4–14 to 4.4–15
- marron A–14
- MATC (maximum acceptable toxicant concentration) A–14
- maximum tolerable daily level (MTDL) A–14
- measurable perturbation 7.4–6
- median 7.4–6, A–14
- mercury 3.4–2
- mesotrophic A–14
- metabolite A–14
- metalloids
 - guideline values 3.5–3, 3.5–4
 - in irrigation waters 4.2–11 to 4.2–12
 - in livestock drinking water 4.3–4 to 4.3–5
- metals
 - guideline values 3.5–3, 3.5–4
 - speciation considerations 3.5–7 to 3.5–8
 - speciation guidelines, decision trees 3.4–19
 - see also* heavy metals
- methyl mercury A–14
- methylation A–14
- microalgal toxins 4.4–15
- microbiological characteristics
 - recreational waters 5–4 to 5–5
 - see also* pathogens
- microbiological quality, drinking water 6–1 to 6–2
- mixing zones 2–17, A–14
 - adjacent to effluent outfalls 2–17
- moderate reliability guideline trigger values 3.4–2 to 3.4–3, A–14

- monitoring and assessment program 1–4, 2–2, 2–3, 2–14, 7.1–1
 - biological indicator issues 7.3–1 to 7.3–5
 - broad classes of monitoring design 7.2–3 to 7.2–4
 - checklist of issues in refining program design 7.2–5
 - importance of good pilot data 7.2–11
 - setting criteria for decisions 7.2–11 to 7.2–18
 - site selection and temporal and spatial scales 7.2–5 to 7.2–11
 - choosing a study design 7.2–1
 - combinations of indicators for two likely special cases 7.2–2 to 7.2–3
 - recommended indicators for each ecosystem condition 7.2–1 to 7.2–2
 - data analysis, evaluation and reporting 7.2–19
 - framework 7.1–4 to 7.1–5
 - indicator selection 3.1–6, 7.1–2
 - integrated strategies 7.1–1 to 7.1–2
 - defraying costs 7.1–3 to 7.1–4
 - enhancing inferences 7.1–2 to 7.1–3
 - issues for restoration and rehabilitation 7.2–10
 - physico-chemical indicator issues 7.4–1 to 7.4–10
 - sample processing and analysis 7.2–18 to 7.2–19
 - sampling protocols and documentation 7.2–18
- monomeric A–14
 - morphometry A–14
 - multiple lines of evidence 3.2–15, 3.4–13, 7.2–2, 7.2–18, A–14
 - multivariate indicators 7.3–1 to 7.3–2
 - multivariate studies 3.2–10, 3.2–12
 - Munsell Scale 5–3, A–14
-
- national level responsibility 2–3
 - National Water Quality Management Strategy 1–3, A–21
 - documents A–22
 - objectives 1–6
 - principles 1–5
 - responsibilities 2–3 to 2–4
 - natural factors affecting ecosystems 3.1–5
 - necrotic A–14
 - neurotoxin A–14
 - New Zealand
 - default trigger values, physico-chemical stressors 3.3–17 to 3.3–18
 - ecosystem features 3.1–7, 3.1–8
 - New Zealand Ministry for the Environment, water quality documents 1–3, A–23
 - New Zealand’s National Agenda for Sustainable Water Management (NASWM) 1–3
 - nitrate and nitrite
 - in aquatic ecosystems 3.3–10 to 3.3–17, 3.4–5, 3.5–3
 - in drinking water 6–2
 - in livestock drinking water 4.3–3
 - nitrogen 3.3–10, 3.3–12, 3.3–14, 3.3–16, 3.3–17
 - in irrigation water 4.2–12 to 4.2–13
 - NOEC (no observed effect concentration) A–14
 - non-biological indicators, guideline trigger values 3.1–21
 - non-biting insects 5–5
 - non-toxic direct effect stressors 3.3–3 to 3.3–4
 - not detectable 2–9 (‘no change’), A–14
 - nuisance growth of aquatic plants 3.3–22
 - key indicators 3.3–23
 - low-risk trigger values 3.3–23 to 3.3–24
 - recreational waters 5–5 to 5–6
 - suitable nutrient loads 3.3–24 to 3.3–25
 - use of guideline package 3.3–24
 - nuisance organisms, recreational waters 5–5 to 5–6
 - nutrient loadings, in ecosystems 2–18 to 2–19
 - nutrient solution A–14
 - nutrients, in sediments 3.5–3, 3.5–5
 - octanol:water partition coefficient (P_{ow}) A–14
 - off-flavour compounds 4.4–15 to 4.4–17, A–14
 - oil 5–8
 - oligotrophic A–15
 - organic carbon A–15
 - organic compounds, guideline values 3.4–4 to 3.4–10 (in water), 3.5–3 to 3.5–4 (in sediments)
 - organic toxicants
 - effect on aquaculture species 4.4–8, 4.4–10 to 4.4–11
 - impact on human health 4.4–13
 - in recreational waters 5–9
 - organism A–15
 - organochlorine pesticides 3.4–2
 - organometallic compounds, guideline values 3.4–5 (in water), 3.5–3, 3.5–4 (in sediments)
 - osmoregulation A–15
 - osmosis A–15
 - oxidation A–15

- oxides of nitrogen 3.3–10, 3.3–12, 3.3–14, 3.3–16, 3.3–17
- oxygenation A–15
- Pacific oyster 4.4–1, A–15
- PAH A–15
- parameter A–15
- parasites
- impact on human health 4.4–14
 - in livestock drinking water 4.3–2
- partition coefficient A–15
- pathogens A–15
- effect on aquaculture species 4.4–11 to 4.4–12
 - in irrigation waters 4.2–3 to 4.2–4
 - in livestock drinking water 4.3–2
 - in recreational waters 5–4 to 5–5
- paua A–4
- percentile 3.3–7 to 3.3–8, A–15
- performance indicators A–15
- periphyton 5–6, A–15
- pesticides 3.4–2, A–15
- in aquatic ecosystems 3.4–9 to 3.4–10 (water), 3.4–4 (sediment)
 - in drinking water 6–2
 - in irrigation water 4.2–13, 4.2–14
 - in livestock drinking water 4.3–5
 - in recreational waters 5–10
- petrochemicals 5–8
- pH 3.3–10, 3.3–12, 3.3–14, 3.3–16, 3.3–17, A–15
- of recreational waters 5–7
 - of water 4.2–15
- pH (CaCl₂) A–15
- phenols A–15
- philosophical approach to applying guidelines 2–12 to 2–17
- phosphate 3.3–10, 3.3–12, 3.3–14, 3.3–16, 3.3–17, 3.3–25
- phosphorus
- in irrigation water 4.2–12 to 4.2–13
 - in sediments 3.5–5
- photodegradation A–15
- photolysis A–15
- photosynthesis A–15
- physical and chemical indicators
- checklist for 7.4–1 to 7.4–2
 - chemical speciation in water samples 7.4–2 to 7.4–3
 - comparing test data with guideline trigger values
 - physical and chemical stressors 7.4–3 to 7.4–8
 - sediments 7.4–10
 - toxicants 7.4–8 to 7.4–9
 - ‘upstream’ from test sites 7.4–9
 - hydrology and representative sampling 7.4–2
 - quality assurance and quality control 7.4–3
- physico-chemical A–15
- physico-chemical stressors 3.3–1 to 3.3–2
- affecting aquatic ecosystems 3.3–4 to 3.3–5
 - aquaculture species 4.4–7, 4.4–9 to 4.4–10
 - comparing test data with guideline trigger values 7.4–3 to 7.4–8
 - comparison with low-risk guideline trigger values 3.3–19
 - default trigger values 3.3–8 to 3.3–18
 - defining low-risk guideline trigger values 3.3–5 to 3.3–7
 - load-based guidelines 3.3–20
 - measuring acceptable ecological change 3.3–19 to 3.3–20
 - preferred approaches to deriving low-risk guideline trigger values 3.3–7 to 3.3–8
 - types of 3.3–3 to 3.3–4
- physiology A–15
- phytoplankton A–15
- phytoplankton monitoring 4.4–18
- phytotoxicity A–16
- pilot program 3.1–3, 7.2–11, A–16
- plankton A–16
- plant pathogens, in irrigation waters 4.2–4
- plants, salinity tolerance 4.2–8
- pollution A–16
- polychlorinated biphenyls 3.4–2, A–16
- potable water A–16
- Practical Quantitation Limit (PQL) 3.4–15 to 3.4–16, A–16
- precipitation A–16
- primary contact activities 5–3
- microbiological characteristics 5–4
- primary industries 1–4, 4.1–1 to 4.1–2
- primary management aims 3.1–4 to 3.1–5
- primary production A–16
- Project Committee A–26
- prokaryotes A–16
- prolarvae A–16
- protocols A–16
- early detection of sediment toxicity 3.2–9 to 3.2–10, 3.2–11
 - experimental design and analysis
 - procedures 3.2–10 to 3.2–13
- protozoans A–16
- quality assurance (QA) 7.2–18, 7.4–3, A–16
- quality control (QC) 7.2–18, 7.4–3, A–16

- radiological A-16
- radiological quality
- irrigation water 4.2-13, 4.2-15
 - livestock drinking water 4.3-6
 - recreational waters 5-9
- radionuclides, impact on human health 4.4-13
- rainbow trout A-16
- rapid biological assessment (RBA) 3.2-4, 3.2-8, 3.2-9, A-16
- see also* AUSRIVAS rapid biological assessment
- receiving capacity 2-18
- recreational water quality and aesthetics 1-4, 5-1
- basis of proposed guidelines A-29
 - guidelines for users
 - in Australia 5-1 to 5-2
 - in New Zealand 5-1
 - microbiological characteristics 5-4 to 5-5
 - nuisance organisms 5-5 to 5-6
 - physical and chemical characteristics 5-6 to 5-10
 - recreational categories 5-3 to 5-4
- recruitment A-16
- red claw A-17
- redox potential A-17
- reference conditions 3.1-14, 3.1-16, A-17
- sources of information 3.1-14 to 3.1-15
- reference data 3.3-7 to 3.3-8
- reference sites 3.1-16, 7.4-5 to 7.4-6
- references R1-1 to R7-3
- regional level responsibility 2-3
- rehabilitation 3.2-20, 7.2-10
- relaying A-17
- remedial actions, assessing success of 3.2-20, 7.2-10
- representative sampling 7.4-2
- Resource Management Act (1991) (NZ)* 1-5, 2-3 to 2-4
- responsibilities, for water quality management 2-3 to 2-4
- restoration 7.2-10, 7.2-13
- risk A-17
- risk assessment 2-11, 2-14
- cyanobacterial blooms in a lowland river 3.3-28
- risk-based application of the guidelines 3.1-6 to 3.1-7
- risk-based guideline packages 3.3-21 to 3.3-22
- lack of dissolved oxygen 3.3-25 to 3.3-27
 - nuisance growth of aquatic plants 3.3-22 to 3.3-25
- Ryznar (stability) index 4.2-15, 4.2-16, A-17
- salinity 3.3-11, 3.3-13, 3.3-15, 3.3-16, A-17
- and plant tolerance 4.2-8
 - in irrigation water 4.2-4 to 4.2-9
- sample processing and analysis 7.2-18 to 7.2-19
- sampling protocols 3.2-9 to 3.2-10, 7.2-18
- secondary contact activities 5-3
- microbiological characteristics 5-4 to 5-5
- sediment contaminants 3.5-3
- sediment pore water 3.1-22, 3.5-8, A-17
- sediment quality 2-15, 2-16
- sediment quality guidelines 3.5-1
- application
 - chemical testing 3.5-5 to 3.5-10
 - sediment sampling 3.5-5
 - approach and methodology used in trigger value derivation 3.5-2 to 3.5-3
 - comparing test data with guideline trigger values 7.4-10
 - recommended guideline values
 - absence of guidelines 3.5-5
 - ammonia, sulfide, nutrients and other sediment contaminants 3.5-3
 - metals, metalloids, organometallic and organic compounds 3.5-3
 - underlying philosophy 3.5-1 to 3.5-2
- sediment sampling 3.5-5
- sediment speciation 3.5-7 to 3.5-8
- sediment toxicity, early detection protocols 3.2-10, 3.2-11
- sediments A-17
- sewage fungus A-17
- shellfish-growing areas, area classification approach 4.4-17 to 4.4-18
- short-term changes, early detection 3.2-4 to 3.2-5, 3.2-6 to 3.2-8
- short-term trigger values (STV) A-17
- heavy metals and metalloids in irrigation water 4.2-11 to 4.2-12
 - nitrogen and phosphorus 4.2-12 to 4.2-13
- silver perch A-17
- simultaneously extracted metals A-17
- site selection and temporal and spatial scales 7.2-5 to 7.2-11
- site-specific guideline levels 3.1-22, 3.1-23
- sites, definition 3.1-16
- sites where an insufficient baseline sampling period is available 3.2-19, 7.2-2 to 7.2-3
- situation-dependent guidelines 3.2-17 to 3.2-20
- slightly to moderately disturbed ecosystems 2-9, 3.1-11 to 3.1-12, 3.2-19
- biodiversity indicators 7.2-2
 - low-risk trigger values 3.3-23, 3.3-26
- small water supplies 6-2 to 6-3

- snapper A-17
- sodicity A-17
 - in irrigation water 4.2-4 to 4.2-9
- sodium, in irrigation water 4.2-10 to 4.2-11
- sodium adsorption ratio (SAR) 4.2-7, 4.2-11, A-17
- soil structure degradation, caused by irrigation water quality 4.2-7
- solution concentration A-17
- sorption A-17
- south central Australia, low rainfall areas, default trigger values, physico-chemical stressors 3.3-16
- south-east Australia, default trigger values, physico-chemical stressors 3.3-10 to 3.3-11
- south-west Australia, default trigger values, physico-chemical stressors 3.3-14 to 3.3-15
- spatial control 3.1-15
- spatial data 3.1-14
- spatial scales 7.2-9
- spatial variation (within sites) 7.2-5
- speciation 7.4-1, A-17
 - see also* sediment speciation
- species A-17
- species richness A-18
- SPM (suspended particulate matter) 3.3-11, 3.3-13, 3.3-15, 3.3-16, A-18
- stakeholder involvement 2-4 to 2-6
- stakeholders 2-10, 2-14, 3.1-21, A-18
 - selection of level of protection 3.1-10 to 3.1-11
- standard (water quality) 1-1, A-18
- standing crop A-18
- state level responsibility 2-3
- static system A-18
- statistical control 3.1-16
- statistical decision making, alternative approach 2-14
- statistical performance characteristics 7.4-7
- statistical performance criteria 2-2
- steady state A-18
- stormwater 1-3, 2-17
- stressors 3.2-9 to 3.2-10, A-18
 - effect on biological diversity 3.1-17
 - see also* physico-chemical stressors
- sub-lethal A-18
- sub-lethal organism responses 3.2-8
- sulfate, in livestock drinking water 4.3-3
- sulfide 3.4-3
- supersaturation A-18
- surface films, recreational waters 5-8
- survival time A-18
- suspended particulate matter *see* SPM
- suspension A-18
- sustainable nutrient loading 3.3-24
- sustainable organic matter loads for standing waterbodies 3.3-29
- sustainable use 2-12
- Sydney rock oyster A-18
- synergism A-18
- tainting A-18
 - chemical compounds causing 4.4-15 to 4.4-17
- taxa richness A-18
- taxon (taxa) A-18
- taxonomic (group, resolution) A-18
- temperature
 - of aquatic ecosystems 3.3-3 to 3.3-5, 3.3-8 to 3.3-9, 3.3-21
 - of waters for aquaculture 4.4-7
 - of recreational waters 5-8
 - effects on toxicants 3.4-13, 3.4-17
- temporal change 7.2-8
- temporal control 3.1-15, 7.1-2
- teratogen A-18
- territory level responsibility 2-3
- test sites
 - physical and chemical stressors 7.4-3 to 7.4-8
 - sediments 7.4-10
 - toxicants 7.4-8 to 7.4-9
 - 'upstream' surface waters from 7.4-9
- thermodynamic equilibrium A-18
- thermotolerant coliforms A-18
 - in irrigation waters 4.2-3 to 4.2-4
 - in livestock drinking water 4.3-2
- three-phased screening approach 4.4-18
- threshold concentration A-19
- threshold value of indicator 3.1-20, 3.1-21
- tolerance A-19
 - of plants to salinity 4.2-8
- total catchment management 2-3
- total dissolved solids (TDS) A-19
 - in livestock drinking water 4.3-3 to 4.3-4
- total metal A-19
- total organic carbon (TOC) 3.5-8
- toxic stressors 3.3-3
- toxicants 3.4-1
 - applying guideline trigger values to sites 3.4-11 to 3.4-12
 - comparing monitoring data with trigger values 3.4-21 to 3.4-22
 - decision tree 3.4-13 to 3.4-20
 - underlying philosophy 3.4-12 to 3.4-13
- aquaculture species 4.4-8, 4.4-10 to 4.4-11
- background data 3.1-14
- background levels 3.1-22

- comparing test data with guideline trigger values 7.4–8 to 7.4–9
- definition 3.4–1, A–19
- effect on ecological integrity 3.1–17
- guideline development 3.4–1
- altering the level of protection for different ecosystem conditions 3.4–3 to 3.4–4, 3.4–11
 - extrapolating from laboratory data 3.4–2
 - procedures for deriving trigger values 3.4–2 to 3.4–3
 - toxicity data for deriving guideline trigger values 3.4–1 to 3.4–2
- impact on human health 4.4–13
- recreational waters 5–8, 5–9 to 5–10
- trigger values for alternative levels of protection 3.4–5 to 3.4–11
- see also* heavy metals; inorganic toxicants; organic toxicants; pesticides
- toxicity 3.4–17 to 3.4–18 A–19
- toxicity assessment 2–19 to 2–20
- see also* Direct toxicity assessment
- toxicity identification and evaluation (TIE) 3.4–16, 3.5–10 A–19
- toxicity testing 3.5–9 to 3.5–10 A–19
- treatments 3.1–15, 3.1–16
- trigger values *see* guideline trigger values
- trochus A–19
- tropical Australia, default trigger values, physico-chemical stressors 3.3–12 to 3.3–13
- tropical ecosystems 3.3–20 to 3.3–21
- true colour A–19
- turbidity 3.3–11, 3.3–13, 3.3–15, 3.3–16, 3.3–18
- turbulence A–19
- Type I errors 2–14, 3.1–21, 7.2–11, 7.2–12, 7.2–16 to 7.2–17 A–19
- Type II errors 2–14, 3.1–21, 7.2–11, 7.2–12, 7.2–16 to 7.2–17 A–19
- unacceptable level of change
- data assessed against bands of AUSRIVAS predictive models 3.2–15 to 3.2–17
 - guidelines for determining
 - compliance and legal framework 3.2–14
 - flexible decision-making 3.2–13 to 3.2–14
 - ‘weight-of-evidence’ approach 3.2–15
 - situation-dependent guidelines 3.2–17
 - broad-scale assessment of ecosystem health 3.2–20
 - highly disturbed systems 3.2–19
 - sites of high conservation value 3.2–17 to 3.2–19
 - sites where an insufficient baseline sampling period is available to meet key default guideline decision criteria 3.2–19
 - slightly to moderately disturbed systems 3.2–19
- univariate analysis 3.2–10, 3.2–12, 7.3–1, A–19
- univariate indicators 7.3–1
- ‘upstream’ from test site data 7.4–9
- uptake A–19
- urban regions
- highly disturbed ecosystems guidelines 3.1–23 to 3.1–24
 - water quality assessment programs 3.1–24
- value judgements A–19
- viral infections, impact on human health 4.4–14
- visual use 5–4
- volatile A–19
- water body 3.1–4
- water clarity 3.3–18, 5–6 to 5–7
- water colour 5–6 to 5–7
- water quality 2–15 to 2–16
- water quality criteria A–19
- water quality guidelines 2–2, 2–9 to 2–11
- definition 2–9, 2–11 A–19
 - for biological indicators 3.2–1 to 3.2–20
 - for drinking water 6–1 to 6–4
 - for irrigation and general water use 4.2–1 to 4.2–16
 - for livestock drinking water 4.3–1 to 4.3–6
 - for physical and chemical stressors 3.3–1 to 3.3–30
 - for protection of cultured fish, molluscs and crustaceans 4.4–3 to 4.4–12
 - for protection of human consumers of aquatic foods 4.4–12 to 4.4–18
 - for recreational water activities and aesthetics 5–1 to 5–10
 - for sediments 3.5–1 to 3.5–10
 - for toxicants 3.4–1 to 3.4–22
 - highly-disturbed ecosystems 3.1–22 to 3.1–23
 - used to trigger action 1–2
- water quality management, application of guidelines for 2–11 to 2–19
- water quality management framework 2–1
- broad strategy 2–1 to 2–3
 - responsibilities 2–3 to 2–4
 - environmental values 2–6 to 2–9

- stakeholder involvement 2-4 to 2-6
- water quality objectives 2-2, 2-11, 3.1-22
A-19
- water quality prediction models 2-18 to 2-19
- watertable A-20
- whiting A-20
- whole effluent toxicity testing A-20
see also Toxicity assessment
- within-site variation 3.1-16
- World Health Organization, guidelines A-29
- xenobiotic A-20
- yabby A-20
- zooplankton A-20