
NATIONAL WATER QUALITY MANAGEMENT STRATEGY

PAPER No. 4

**Australian and New Zealand Guidelines for
Fresh and Marine Water Quality**

Volume 2

**Aquatic Ecosystems — Rationale and
Background Information**

(Chapter 8)

October 2000

**Australian and New Zealand
Environment and Conservation
Council**

**Agriculture and Resource
Management Council of Australia
and New Zealand**

Copies of this publication may be obtained from:

Australian Water Association
PO Box 388
ARTARMON NSW 2064
Tel: (02) 9413 1288
Fax: (02) 9413 1047

OR

Australian Government Info Shops in capital cities and Townsville. For locations, contact and ordering details go to: http://www.dofa.gov.au/infoaccess/general/purchase_info_products.html or phone 132 447 (toll free in Australia, 24 hr service)

OR

NZ Water & Wastes Association
PO Box 13880
Onehunga, Auckland 1006
New Zealand
Tel: 64-9-636-3636
Fax: 64-9-636-1234
Email: water@nzwwa.org.nz

Material included in this document may be freely reproduced provided that due acknowledgment is given to the Australian and New Zealand Environment and Conservation Council and the Agriculture and Resource Management Council of Australia and New Zealand.

For further information on acknowledgment, contact:

The Secretary
Australian and New Zealand Environment and Conservation Council
GPO Box 787
CANBERRA ACT 2601
Tel: (02) 6274 1428
Fax: (02) 6274 1858

OR

The Secretary
Agriculture and Resource Management Council of Australia and New Zealand
GPO Box 858
CANBERRA ACT 2601
Tel: (02) 6272 5216
Fax: (02) 6272 4772

**Environment Australia
Cataloguing-in-Publication Data:**

Australian and New Zealand guidelines for fresh and marine water quality. Volume 2, Aquatic ecosystems / Australian and New Zealand Environment and Conservation Council, Agriculture and Resource Management Council of Australia and New Zealand.

Bibliography.
Includes index.

(National water quality management strategy; no.4)

ISBN 09578245 0 5 (set)
ISSN 1038 7072

1. Water quality – Australia – Measurement.
 2. Water quality – New Zealand – Measurement.
 3. Water – Pollution – Environmental aspects – Australia.
 4. Water – Pollution – Environmental aspects – New Zealand.
 5. Water quality management – Australia.
 6. Water quality management – New Zealand.
- I. Australian and New Zealand Environment and Conservation Council. II. Agriculture and Resource Management Council of Australia and New Zealand. III. Series

628.161'0994-dc21

Disclaimer

The contents of this document have been compiled using a range of source materials and while reasonable care has been taken in its compilation, the member governments of ANZECC and ARMCANZ and the organisations and individuals involved with the compilation of this document shall not be liable for any consequences which may result from using the contents of this document.

Produced in Australia for the Australian and New Zealand Environment and Conservation Council and the Agriculture and Resource Management Council of Australia and New Zealand.

Contents

8.1 Biological indicators	8.1–1
8.1.1 Broad classes of indicators and desired attributes	8.1–1
8.1.1.1 Broad-scale assessment of ecosystem ‘health’ (at catchment, regional or larger scales)	8.1–1
8.1.1.2 Early detection of acute and chronic changes	8.1–2
8.1.1.3 Assessment of biodiversity	8.1–3
8.1.2 Evaluation of biological indicators for water and sediment quality	8.1–7
8.1.2.1 Streams, lakes and wetlands	8.1–7
8.1.2.2 Marine and estuarine systems	8.1–17
8.1.3 Choice of the appropriate indicator for biological assessment	8.1–21
8.1.3.1 Protocols for streams, wetlands and lakes	8.1–22
8.1.3.2 Protocols for marine and estuarine ecosystems	8.1–24
8.2 Physical and chemical stressors	8.2–1
8.2.1 Fact sheets	8.2–1
8.2.1.1 Nutrients	8.2–1
8.2.1.2 Dissolved oxygen	8.2–10
8.2.1.3 Turbidity and suspended particulate matter	8.2–12
8.2.1.4 Salinity	8.2–16
8.2.1.5 Temperature	8.2–18
8.2.1.6 pH	8.2–22
8.2.1.7 Optical properties	8.2–25
8.2.1.8 Environmental flows	8.2–29
8.2.1.9 Hydrodynamics	8.2–37
8.2.2 Data used to derive guideline trigger values	8.2–39
8.2.2.1 Trigger values supplied by Australian State and Territory and New Zealand research and regulatory organisations	8.2–41
8.2.2.2 Explanatory notes provided by Australian State and Territory research and regulatory organisations	8.2–52
8.2.3 Guideline packages to apply guideline trigger values	8.2–59
8.2.3.1 Nuisance aquatic plant growth: additional case studies	8.2–59
8.2.3.2 Issue: Excess of suspended particulate matter (SPM)	8.2–62
8.2.3.3 Issue: Changes in salinity	8.2–63

8.2.3.4 Issue: Unnatural change in temperature	8.2–66
8.2.3.5 Issue: Unnatural change in pH	8.2–68
8.2.3.6 Issue: Poor optical properties of waterbodies	8.2–70
8.2.3.7 Issues: Unnatural change in flow	8.2–71
8.3 Toxicants	8.3–1
8.3.1 Introduction	8.3–1
8.3.2 Ecotoxicological studies and the data used to derive guideline trigger values	8.3–2
8.3.2.1 Toxicity tests, a background and requirements	8.3–2
8.3.2.2 Acceptable end-points for toxicity tests	8.3–4
8.3.2.3 Reliance on single species testing	8.3–6
8.3.2.4 Sensitive species and test species	8.3–7
8.3.3 Outline of methodologies for deriving guideline trigger values for toxicants	8.3–8
8.3.3.1 Extrapolating from laboratory data to protect field ecosystems	8.3–8
8.3.3.2 Use of assessment factors	8.3–10
8.3.3.3 Use of statistical extrapolation methods	8.3–11
8.3.3.4 Background to incorporating bioaccumulation into guidelines	8.3–17
8.3.4 The approach used to derive guideline trigger values	8.3–22
8.3.4.1 An overview of the approach	8.3–22
8.3.4.2 Requirements for quality of data	8.3–24
8.3.4.3 Degree of protection to be provided	8.3–26
8.3.4.4 Deriving the guideline trigger values	8.3–27
8.3.4.5 Recommended approach for chemicals not included in these guidelines	8.3–35
8.3.5 The decision tree for applying the guideline trigger values	8.3–36
8.3.5.1 Rationale for determining guidelines for specific sites	8.3–36
8.3.5.2 Selecting the ecosystem condition and level of protection	8.3–39
8.3.5.3 Sampling, analysis and interpretation	8.3–41
8.3.5.4 What happens when the trigger value is below the analytical detection limit?	8.3–42
8.3.5.5 Incorporating background concentrations	8.3–43
8.3.5.6 Incorporating transient exposure by, and rapid degradation of the chemical	8.3–46
8.3.5.7 Incorporating bioaccumulation, bioconcentration and secondary poisoning	8.3–46

8.3.5.8	Incorporating local ecotoxicology data	8.3–47
8.3.5.9	Incorporating effects of chemical formulations	8.3–49
8.3.5.10	Incorporating adsorption/desorption on suspended matter	8.3–50
8.3.5.11	Incorporating dissolved organic matter	8.3–51
8.3.5.12	Incorporating effects of salinity	8.3–52
8.3.5.13	Incorporating pH	8.3–52
8.3.5.14	Incorporating temperature	8.3–54
8.3.5.15	Incorporating effects of water hardness	8.3–55
8.3.5.16	Incorporating metal speciation	8.3–59
8.3.5.17	Incorporating other water quality parameters	8.3–64
8.3.5.18	Incorporating simple toxicant mixtures	8.3–65
8.3.5.19	Incorporating direct toxicity assessment	8.3–66
8.3.6	Direct toxicity assessment: Outline and recommendations	8.3–68
8.3.6.1	Introduction	8.3–68
8.3.6.2	Single chemical toxicity testing — benefits and limitations	8.3–68
8.3.6.3	Direct toxicity assessment	8.3–69
8.3.6.4	Application of DTA	8.3–73
8.3.6.5	DTA in Australia and New Zealand	8.3–75
8.3.6.6	DTA and WET testing overseas	8.3–87
8.3.6.7	Considerations for DTA in Australia	8.3–89
8.3.6.8	Recommendations for conducting DTA in Australia	8.3–95
8.3.6.9	Conclusion	8.3–99
8.3.7	Detailed descriptions of chemicals	8.3–101
8.3.7.1	Metals and metalloids	8.3–102
8.3.7.2	Non-metallic inorganics	8.3–154
8.3.7.3	Organic alcohols	8.3–175
8.3.7.4	Chlorinated alkanes	8.3–177
8.3.7.5	Chlorinated alkenes	8.3–182
8.3.7.6	Anilines	8.3–183
8.3.7.7	Aromatic hydrocarbons, including PAHs and nitrobenzenes	8.3–187
8.3.7.8	Chlorinated aromatic hydrocarbons	8.3–198
8.3.7.9	Phenols and Xylenols	8.3–209
8.3.7.10	Chlorophenols	8.3–213
8.3.7.11	Nitrophenols	8.3–220
8.3.7.12	Organic sulfur compounds	8.3–222

8.3.7.13 Phthalate esters	8.3–227
8.3.7.14 Miscellaneous industrial organic chemicals	8.3–229
8.3.7.15 Organochlorine pesticides	8.3–233
8.3.7.16 Organophosphorus pesticides	8.3–251
8.3.7.17 Carbamate pesticides	8.3–265
8.3.7.18 Insect growth regulators	8.3–268
8.3.7.19 Pyrethroids	8.3–268
8.3.7.20 Herbicides and fungicides	8.3–271
8.3.7.21 Generic groups of chemicals	8.3–291
8.4 Sediment quality guidelines	8.4–1
8.4.1 Sources of sediments and sediment contaminants	8.4–1
8.4.2 Sediment properties	8.4–1
8.4.2.1 Physics of aquatic sediments	8.4–1
8.4.2.2 Sediment chemistry	8.4–2
8.4.2.3 Sediment biology	8.4–4
8.4.3 Review of approaches used to derive sediment quality guidelines	8.4–5
8.4.3.1 Effects-based guidelines	8.4–5
8.4.3.2 Equilibrium partitioning approach	8.4–12
8.4.3.3 Guidelines based on bioaccumulation	8.4–16
8.4.3.4 Guidelines for the ocean disposal of dredged sediments	8.4–17
8.4.3.5 Other international approaches to sediment quality	8.4–18
8.4.3.6 Reliability of the ANZECC/ARMCANZ effects-based guideline values	8.4–22
8.4.3.7 Relevance to Australia and New Zealand	8.4–25
8.4.4 Australian and New Zealand data	8.4–26
8.4.5 Updating of Guideline Values	8.4–28
8.4.6 Sediment toxicity testing	8.4–29
8.5 Priorities for research and development	8.5–1
8.5.1 Biological assessment	8.5–1
8.5.1.1 Indicator development	8.5–1
8.5.1.2 Procedures	8.5–3
8.5.1.3 Decision support	8.5–4
8.5.1.4 Biological impacts of changes in water quality	8.5–5

8.5.2 Physical and chemical stressors	8.5–5
8.5.2.1 Further development of new approach	8.5–6
8.5.2.2 Research needs related to each specific issue and stressor	8.5–8
8.5.2.3 Fact sheets	8.5–10
8.5.2.4 Stressors not covered in these guidelines	8.5–10
8.5.3 Toxicants	8.5–11
8.5.3.1 Extending and improving the toxicological database for guideline determination	8.5–11
8.5.3.2 Direct toxicity assessment	8.5–12
8.5.3.3 Metal speciation	8.5–12
8.5.4 Sediment quality	8.5–14
 References	
Section 8.1 Biological indicators	R8.1–1
Section 8.2 Physical and chemical stressors	R8.2–1
Section 8.3 Toxicants	R8.3–1
Section 8.4 Sediment quality guidelines	R8.4–1
Section 8.5 Priorities for research and development	R8.5–1
 Appendices	
Appendix 1 Mixing zones adjacent to effluent outfalls	A1–1
Appendix 2 Background on the features of aquatic ecosystems in Australia and New Zealand	A2–1
Appendix 3 Protocols for biological monitoring and assessment	A3–1
Method 1A(i) Riverside monitoring: Freshwater snail reproduction and survival test	A3–3
Method 1A(ii) Riverside monitoring: Larval fish survival test	A3–7
Method 1B(i) Bioaccumulators of metals and radionuclides	A3–11
Method 1B(ii) Molecular biomarkers in fish	A3–15
Method 2A Chironomid sediment test	A3–19
Method 2B Morphological deformities in chironomid mouthparts	A3–21
Method 3A(i) AUSRIVAS, a Rapid Biological Assessment method using stream macroinvertebrate communities	A3–25
Method 3A(ii) Changes in structure of stream macroinvertebrate communities for detecting and assessing impact	A3–31
Method 3A(iii) Rapid Biological Assessment (RBA) of wetlands using macroinvertebrate communities	A3–37

Method 3A(iv) Changes in structure of lentic macroinvertebrate communities for detecting and assessing impact	A3–41
Method 3A(v) Guidance on the use of freshwater fish assemblage structure for detecting and assessing impact	A3–45
Method 3B Changes in stream community metabolism (GPP, R, P/R and NDM) for detecting and assessing impact	A3–49
Method 4(i)A Biomass of periphytic algae	A3–53
Method 4(i)B Diatom community structure in rivers and streams	A3–57
Method 4(ii)A Biomass of phytoplankton	A3–61
Method 4(ii)B Phytoplankton cell density	A3–65
Method 4(iii)A Biomass of macroalgae	A3–69
Method 4(iii)B Species composition of macroalgae	A3–71
Method 5 Changes to wetland vegetation structure as measured through remote sensing	A3–75
Method 6 Seagrass Depth Distribution	A3–79
Method 7 Frequency of Algal Blooms	A3–85
Method 8 Density of Capitellid Worms	A3–89
Method 9 Imposex in Marine Gastropods	A3–95
Appendix 4 Considerations for the early detection of change in responses measured in BACIP and MBACI design biological monitoring programs	A4–1
Appendix 5 Taxonomically different types of organisms for deriving guidelines	A5–1
Appendix 6 Assessing toxicity data for acceptability — scoring questions	A6–1
Appendix 7 Comparing test data for physical and chemical stressors with guideline trigger values	A7–1
Appendix 8 Collection and analysis of sediment samples	A8–1

Figures

Figure 8.2.1 Plot of temperature and depth illustrating a thermocline between 3–5 m	8.2–38
Figure 8.3.1 The modified statistical approach, shown in conceptual form, assuming a Burr Type III distribution	8.3–14
Figure 8.3.2 Schematic diagram of the general procedure for deriving water quality guidelines	8.3–28
Figure 8.4.1 Distribution of cadmium and copper concentrations in marine and estuarine sediments that are associated with adverse biological effects and no adverse effects	8.4–11

Figure A4.1 Freshwater snail egg production data for creekside monitoring at sites in Magela Creek conducted over five Wet seasons	A4–11
--	-------

Tables

Table 8.1.1 The broad classes of indicators and their desirable attributes for the purpose of the assessment of biodiversity, conservation status and/or ecosystem-level responses	8.1–4
Table 8.1.2 Possible relative merits of AUSRIVAS rapid biological assessment vs quantitative community-based stream monitoring.	8.1–6
Table 8.1.3 A range of metabolism rates to signify different river health in streams of the Jarrah forest, south-west WA	8.1–16
Table 8.1.4 The categories of river health based on metabolism with possible causes for the departure in the metabolism from reference conditions	8.1–16
Table 8.1.5 Matching indicators/ variables to the problem	8.1–25
Table 8.2.1 Annual mean and maximum chl a concentrations for reservoirs and lakes	8.2–9
Table 8.2.2 Total Nitrogen	8.2–41
Table 8.2.3 Total Phosphorus	8.2–42
Table 8.2.4 Chlorophyll a	8.2–43
Table 8.2.5 Filterable Reactive Phosphorus	8.2–44
Table 8.2.6 Oxides of Nitrogen	8.2–45
Table 8.2.7 Ammonium	8.2–46
Table 8.2.8 pH	8.2–47
Table 8.2.9 Electrical Conductivity	8.2–48
Table 8.2.10 Dissolved Oxygen	8.2–49
Table 8.2.11 Turbidity	8.2–50
Table 8.2.12 Suspended Solids	8.2–51
Table 8.3.1 AQUIRE (1994) fields and scores	8.3–24
Table 8.3.2 Summary of background metal concentrations for Australian, New Zealand and Northern Hemisphere waters using 'clean' techniques.	8.3–44
Table 8.3.3 Summary of metal speciation techniques in natural waters	8.3–60
Table 8.3.4 Summary of the applications of direct toxicity assessment	8.3–73
Table 8.3.5 Summary of the major toxicity bioassays used in Australia for direct toxicity assessment purposes	8.3–76

Table 8.3.6 Percentage of un-ionised ammonia at different pH and temperatures	8.3–160
Table 8.3.7 Freshwater trigger values as total ammonia-N in µg/L at different pH	8.3–161
Table 8.3.8 Calculated percentages of un-ionised hydrogen cyanide in aqueous cyanide solutions	8.3–165
Table 8.3.9 Calculated percentages of un-ionised hydrogen sulfide in total aqueous sulfide solutions	8.3–172
Table 8.3.10 Calculated percentage of hydrogen sulfide in total aqueous sulfide solutions at different pH, temperature and salinity values	8.3–173
Table 8.3.11 Short term toxicity data used for guideline derivation for chloromethanes	8.3–178
Table 8.3.12 Toxicity data from toxicity tests considered for trigger value derivations for chloroethanes: di- to hexa	8.3–181
Table 8.3.13 Toxicity data for short-term tests conducted for guideline derivation for chlorinated alkenes	8.3–184
Table 8.3.14 Toxicity data from short-term tests considered for guideline derivation for benzene, toluene, ethylbenzene, xylenes and isopropylbenzene	8.3–189
Table 8.3.15 Freshwater toxicity data used for trigger value derivation: Nitrobenzenes and methoxy-nitrobenzenes	8.3–195
Table 8.3.16 Freshwater toxicity data considered for trigger value derivation: Chloro and Fluoro substituted nitrobenzenes	8.3–196
Table 8.3.17 Freshwater toxicity data considered for guideline derivation: Methyl substituted nitrobenzenes or nitrotoluenes	8.3–197
Table 8.3.18 Toxicity data from short-term toxicity tests considered for trigger value derivations for chlorobenzenes: monochlorobenzene to trichlorobenzenes	8.3–203
Table 8.3.19 Toxicity data from short-term tests considered for trigger value derivations for chlorobenzenes: tetrachlorobenzenes to hexachlorobenzene	8.3–204
Table 8.3.20 Short-term toxicity data for PCBs, considered for trigger value derivation	8.3–206
Table 8.3.21 Toxicity data from short-term tests considered for guideline derivation for mono-chlorophenols and di-chlorophenols	8.3–218
Table 8.3.22 Toxicity data from short-term tests considered for guideline derivation for tri-, tetra-chlorophenols and pentachlorophenol	8.3–219
Table 8.3.23 Xanthates, freshwater short-term toxicity data	8.3–226
Table 8.3.24 Toxicity ranges for different oils to marine organisms	8.3–297

Table 8.3.25 Oil spill dispersants, type and general toxicity ranking	8.3–298
Table 8.4.1 Grain size classification of sediments	8.4–2
Table 8.4.2 Ontario Ministry of Environment Screening Level Guidelines	8.4–7
Table 8.4.3 Summary of Effects-Range Guidelines	8.4–10
Table 8.4.4 Interim Canadian sediment quality guidelines	8.4–19
Table 8.4.5 Sediment quality objectives in the Netherlands	8.4–20
Table A4.1 Summaries of results of <i>t</i> -tests for before-after contrasts in difference values under three impact scenarios and the null model of zero impact	A4–8
Table A4.2 Summaries of results of 2-factor analyses of variance for before-after and seasonal contrasts in difference values under three impact scenarios and the null model of zero impact	A4–8
Table A4.3 Summaries of results of regression analyses for linear impacts of mine waste water discharges accumulating over the five trials of the first post-start-up season and the null model of zero impact.	A4–9
Table A4.4 Summary results of assessing nominated impacts by Control Charts with the trigger points set at 10% and 1sd of baseline mean values of control-impact difference data.	A4–9
Table A4.5 Summaries of results of 2 MBACI analyses of variance for before-after x control-impact effects on difference values under three impact scenarios and the null model of zero impact	A4–10
 Boxes	
Box 8.3.1 Example of the use of the decision tree for copper speciation in ambient waters	8.3–63
 Case studies	
Case Study 3 Risk of loss of coastal seagrass beds	8.2–59
Case Study 4 Establishing sustainable nutrient loads for standing waterbodies	8.2–61
Case Study 5 Establishing sustainable loads of suspended particulate matter for a river	8.2–64
 Errata section	 E–1

This page has been left blank intentionally.